



Cuttack Central Co-operative Bank Ltd.

Head Office, Nimchouri, Cuttack – 753002

website - www.cuttackccb.co.in

No. 5808

Dt. 23-03-2022


SHORT TENDER CALL NOTICE

Sealed tenders are invited from registered and eligible Civil Contractors/ Experienced Firms for P.H.work of Cuttack Central Cooperative Bank Ltd. Head Office on behalf of Chief Executive Officer, Cuttack Central Coop.Bank Ltd. Nimchouri,Cuttack-753002 as follows.

Sl No	Name of the work	Estimated Tender amount excluding GST	EMD Amount (Rs)	Eligibility class of Contractor	Period of completion
1	PH work of Head Office	309462.00	3100.00	'D' Class & above or Experienced Contractor with similar kind of work	45 days

Terms and Conditions

- 1.The tender document will be available in Bank website- www.cuttackccb.co.in from 25.03.2022.
- 2.Bid shall contain copy of valid license, PAN Card, GST Certificate, IT Return of last three financial year 2018-19, 2019-20 and 2020-21.
- 3.Price Bid shall contain the filled up tender form in proper manner accompanied by EMD.
- 4.The sealed envelope shall be put in a sealed cover supercribed with Tender for "PH work of Head Office" and submitted in Head Office of the Bank at Nimchouri,Cuttack-753002.
- 5.The tender papers will be submitted at Head Office from dt.25.03.2022 to 31.03.2022 upto 4.00 PM with DD for Rs.3100=00 in favour of CEO, Cuttack Central Coop.Bank Ltd payable at Cuttack. and will be opened on dt.05.04.2022 at 4.00 PM in presence of Tenderer or their authorized representative at Cuttack CCB Head Office,Nimchouri,Cuttack-753002.
- 6.The EMD shall be deposited in form of crossed Account Payee Demand Draft/Bankers Cheque from a Nationalized Bank/Scheduled Bank in favour of Chief Executive Officer, Cuttack Central Coop.Bank payable at Cuttack. Tender deposited without earnest money in proper form shall be rejected without assigning any reason thereof.
- 7.Authority is not bound to accept the lowest tender and reserves the right to cancel or reject any or all tenders without assigning any reason thereof.


Chief Executive Officer

Memo No. 5809 (60) /Dt. 23-03-2022

- 1.Copy to Notice Board of Cuttack CCB Head Office
- 2.Copy to all Branches for publish in the Notice Board


Chief Executive Officer

Detailed estimate for the work:- PH Work of Cuttack Central Co-Operative Bank Ltd., Nimchouri, Cuttack.

Sl No	Description	Quantity	Unit	Rate	Amount
1	2	3	4	5	6
1	Supplying all materials, labour, T&P and providing and fixing to wall or ceiling and floor pvc pipes conforming to ASTM-D-1785/89 (Sch-80) and pipe fittings of the following nominal bore with clamps including making good the wall, ceiling and floor all complete as per specification and direction of the Engineer in charge.				
	In 1st floor				
a	20mm dia UPVC ASTM pipe	6.00	mtr		
b	25mm dia UPVC ASTM pipe	12.00	mtr		
c	40mm dia UPVC ASTM pipe	48.00	mtr		
d	50mm dia UPVC ASTM pipe	18.00	mtr		
2	Supplying all materials, labour, T&P and cutting holes through existing brick work including making good the damages in cement mortar (1:4) for taking GI pipes and fittings/ PVC pipes and fittings etc all complete as per PH specification and direction of the Engineer in charge.				
	250mm thick wall In 1st Floor	5	Each		
3	Supplying all materials, labour, T&P and cutting grooves in pucca floors and walls for taking GI/ PVC pipes and making good the damages as per the direction of the Engineer in charge.				
	In 1st floor	15.00	mtr		
4	Supplying all materials, labour, T&P and fitting and fixing brass/CP fittings of the following nominal bore with supply of all jointing materials complete as per specification and direction of the Engineer in charge.				
	15mm dia CP two way bib cock (Plaza/Amber/Aquatic)	3	Each		
5	15mm dia CP S.B bib cock (Plaza/Amber/Aquatic)	1	Each		
6	15mm dia CP angle stop cock (Plaza/Amber/Aquatic)	6	Each		
7	15mm dia CP flange	10	Each		
8	15mm Cp extention piece	10	Each		
9	25mm dia C-PVC ball valve.(Ashrivad make)	3	Each		
10	40mm dia C-PVC ball valve.(Ashrivad make)	2	Each		
11	50mm dia C-PVC ball valve.(Ashrivad make)	2	Each		
12	125mmdia C.P.grating	5	Each		
13	15mm dia CP revolving shower with arm	3	Each		
14	Acrylic Shelf	1	Each		
15	25mmx600mm long CP towel rail	1	Each		
16	CP ring towel rail	1	Each		
17	CP soap holder	4	Each		
18	Supplying all materials, labour, T&P and fitting and fixing 10 litres capacity low level flushing cistern with a pair of cast iron or M.S brackets complete with fittings such as siphonic arrangements 15mm nominal size brass/pvc ball valve with polythene float CP brass handle, unions and couplings for connection with inlet, outlet and overflow pipes,32mm dia CP flush bend,15mm dia pvc inlet connection pipe including cutting holes and making good the same and connecting the flush bend with cistern and closet and connecting the inlet pipe with supply main etc all complete as per specification and direction of the Engineer in charge.				
	10 litres capacity pvc low level cistern (Slimline-white)	3	Each		



- 19 Supplying all materials, labour, T&P and fixing Rotational moulded polyethylene cylindrical vertical water storage tanks including cutting holes through the tank and fixing mild steel tubes and fittings and providing extra sockets and jam nuts, fixing ball valve etc, including hoisting upto a height of 5 metres above ground level and placing the tank to the required position and providing 1st class K.B brickwork in cement mortar (1:6) of 0.46m height in staging and in circular protection wall to support the tank, 12mm thick cement plaster (1:6) over brickwork, R.C.C slab of size 1.60mx1.60m and 0.10m thick, R.C.C beam of 0.25mx0.30m and 3.18m average length in cement concrete(1:2:4) using 12mm size h.g chips including centering and shuttering, watering, curing, conveyance of all materials to worksite etc all complete as per specification and direction of the Engineer in charge
2000litre capacity water storage tanks(Sintex make) (2ndFloor)

2 Each

- 20 Supplying all materials, labour, T&P and fitting and fixing U-PVC SWR soil waste ventilating pipes and fittings of the following outside diameter conforming to ISI No. 13592/1992 to walls with nails, bobbins and wooden plugs or laying in trenches including jointing with supply of approved rubber lubricant by non-heat application method/as per manufacturer's specification, testing, earthwork in excavation in all kinds of soil and refilling of trenches as per specification and direction of the Engineer in charge

110mm dia U-PVC SWR pipes(Supreme/Ashirvad)

32.00	Mtr
2	Each
7	Each
1	Each
6	Each
2	Each
1	Each
1	Each
6	Each

- 21 110mm U-PVC door Tee
22 110mm U-PVC plain Tee
23 110mm U-PVC door bend
24 110mm U-PVC plain bend
25 110mm dia U-PVC offset without ear
26 110mm dia U-PVC 'P' trap
27 110mm dia U-PVC cowl
28 110mm dia U-PVC clamp

- 29 Supplying all materials, labour, T&P and cutting holes through existing brick or laterite masonry wall for taking HCl/PVC SWR pipes and fittings including making good the damages etc all complete as per PH specification and direction of the Engineer in charge

250mm to 375mm thick wall

4 Each

- 30 Supplying all materials, labour, T&P and fixing the following vitreous china Wash Down Water Closet (European type W.C pan) with integral 'P' or 'S' trap to the floor with wooden plug and chromium plated pedestal screws including jointing the trap with soil pipe in cement mortar (1:1), fixing plastic seat and cover for wash down water closet with chromium plated brass hinges and rubber buffers including polishing etc all complete as per specification and direction of the Engineer in charge

E.W.C. with 'S' trap plain with seat cover(Parryware/Cera/Nycer Make)

3 Each



31	Supplying all materials, labour, T&P and fixing bowl pattern urinal of the following sizes including connecting the urinal with 32mm dia pvc waste pipe 910mm long by means of white lead mixed with chopped hemp, fixing 32mm dia CP dome waste, 15mm dia CP spreader including cutting holes in walls and making good the damages with supply of wooden plugs, screws and cement etc all complete as per specification and direction of the Engineer in charge. Half stall urinal (Hindware Make Xat No.60020)	2	Each
32	15mm CP spreader	2	Each
33	32mm CP doom waste	2	Each
34	Supplying all materials, labour, T&P and fixing wash basins with hole for pillar taps with cast iron or M S brackets painted white including cutting holes in walls and making good the damages with supply of wooden plugs, screws and cement etc, fixing pedestal for wash basin recessed at the back for the reception of pipes and fittings, fixing PVC waste pipe of 32mm nominal diameter for wash basin including brass check nut complete, fixing pillar taps(Plaza make) capstan head screw down high pressure lettered 'Hot' and 'Cold' with long screws, shanks and back nuts of 15mm dia nominal bore, fixing 15mm dia PVC inlet connection pipe and making connection with pillar cocks and supply mains for wash basin, fixing 32mm dia CP brass waste, etc all complete as per specification and direction of the Engineer in charge 550mmx400mm size wash hand basin (Parryware/Cera/Nycer Make)	1	Each
35	Supplying all materials, labour, T&P and fixing mirror of superior glass mounted on 6mm thick A.C sheet or plywood sheet and fixed to wooden plugs with CP screws and washers complete as per specification an direction of the Engineer in charge 600mmx450mm size B.E mirror	1	Each
36	Supplying all materials, labour, T&P and providing cement concrete (1:2:4) with 12mm size hard broken granite chips including watering, curing, conveyance of all materials to worksite, payment of royalty, taxes etc all complete as per specification and direction of the Engineer in charge In 1st floor	1.63	Cum
37	Supplying all materials, labour, T&P and providing 12mm thick cement plaster (1:4) on brickwork including watering, curing, conveyance of all materials to worksite, payment of royalty, taxes etc all complete as per specification and direction of the Engineer in charge 12mm thick CP (1:4) on bw- In ff	55.75	Sqm



38	Supplying all materials, labour, T&P and providing ceramic tiles in floors, treads and landing on 25mm thick bed of cement mortar 1:1 (1 cement:1 sand) joined with neat cement slurry mixed with pigment to match the shades of the tiles etc. complete as per direction of the Engineer in charge. (Ceramic floor tiles of premium grade Kajaria / Somany make of size 30cm x 30cm to be pre-approved by the Engineer in charge) In 1st Floor	22.24	Sqm
39	Supplying all materials, labour, T&P and fixing porcelain glazed tiles in dados skirting on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shades of the tiles etc. complete as per direction of the Engineer in charge. (Ceramic wall tiles of premium grade Kajaria / Somany make size 45 x 30 special plain / printed series to be pre-approved by the Engineer in charge) In 1st floor (inside/outside)	55.75	Sqm
40	Providing fitting, fixing of Al. door with OEL anodized Al. door section of 9202 as vertical member, 9201 as top member and 9200 as bottom and middle member and 12mm thick pre-laminated board fixed on door frame by means of tapered clip No. 4660 and the frame to be completed by means of jointing angle No. 1855 including all cost of labour, T&P, hire charges of drilling machine, labour charges etc. complete.		
	3x0.80x2.00=	4.80	Sqm
41	Supplying all materials, labour, T&P and distempering two coats to walls with distemper of approved shade on new work to give an even shade etc all complete as per specification and direction of the Engineer in charge	80.00	Sqm
42	Supplying all materials, labour, T&P and laying in trenches (to level or slope) unplasticized PVC pipes conforming to IS: 4985/2000 of the following outside dia for class-3(0.60mpa) including jointing with supply of approved solvent cement by non-heat application method/as per manufacturer's specification, providing and laying in trench cement concrete (1:4:8) with 40mm size hard granite metal in the Type C-1 standard bedding surrounding or encasing including concrete for bedding and curing etc all complete as per PH specification and direction of the Engineer in charge.		
	110mm dia u-pvc pipe alround concrete	10.00	Mtr

